



# КАТАЛОГ ТОВАРОВ

Сухари пазовые  
для алюминиевого  
станочного профиля



## Sliding Nut




**Application:** Pre-set nut for aluminum profiles

**Features:** High connecting strength, wide application range and easy installation

**Material:** Galvanized Carbon Steel




### Slot Width 6mm-20 Series




Application	Order No.	D	Weight(g)
20 Series	HM6-4	M4	2.8
	HM6-5	M5	2.6
	HM6-6	M6	2

### Slot Width 8mm-30 Series




Application	Order No.	D	Weight(g)
30 Series	HM8-4-30	M4	8
	HM8-5-30	M5	7.5
	HM8-6-30	M6	7.5
	HM8-8-30	M8	7

### Slot Width 8mm-40 Series



Application	Order No.	D	Weight(g)
40 Series center hole- $\varnothing 6.8$	HM8-4-40	M4	20
	HM8-5-40	M5	20
	HM8-6-40	M6	19
	HM8-8-40	M8	19

### Slot Width 10mm Series



Application	Order No.	D	Weight(g)
45. 50. 60 Series	HM10-4	M4	21
	HM10-5	M5	21
	HM10-6	M6	20
	HM10-8	M8	20

## Linear Bar Connector





Application: 180° Linear extended connection


Features: Medium strength, application widely, good concealment

Material: Carbon Steel

**YL-6**




**YL-8-30**




Application	Order No.	Weight(g)
20 Series	YL-6	30
30 Series	YL-8-30	103
40 Series--Center hole $\phi 6.8$	YL-8-40	192
40 45 50 60 Series Center hole $\phi 12$	YL-10	217


**YL-8-40**



### Assembly Diagram



**YL-10**





8 (800) 555-63-74 бесплатные звонки по РФ  
+7 (473) 204-51-56 Воронеж  
+7 (495) 505-63-74 Москва



[www.purelogic.ru](http://www.purelogic.ru)  
[info@purelogic.ru](mailto:info@purelogic.ru)  
394033, Россия, г. Воронеж,  
Ленинский пр-т, 160, офис 149

Пн	Вт	Ср	Чт	Пт	Сб	Вс
	8 <sup>00</sup> -17 <sup>00</sup>			8 <sup>00</sup> -16 <sup>00</sup>		выходной